



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virgnia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/427,291	10/26/1999	PAUL H BURMEISTER	S63.2-8606	2970
7.	590 03/28/2005		EXAM	INER
VIDAS ARRETT & STEINKRAUS PA			PREBILIC, PAUL B	
6109 BLUE CI	RCLE DRIVE			
SUITE 2000			ART UNIT	PAPER NUMBER
MINNETONKA, MN 553439131			3738	

DATE MAILED: 03/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

ς	n
ν	•

	Application No.	Applicant(s)				
Office Action Commons	09/427,291	BURMEISTER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Paul B. Prebilic	3738				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 12 January 2005.						
2a) ☐ This action is FINAL . 2b) ☑ This	This action is FINAL . 2b)⊠ This action is non-final.					
<i>,</i> —	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 22-35 is/are pending in the application	4) Claim(s) <u>22-35</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) <u>22-34</u> is/are allowed.						
· · · · · · · · · · · · · · · · · · ·	6)⊠ Claim(s) <u>35</u> is/are rejected.					
	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

The Examiner regrets the delay in setting up the interference requested. However, upon careful review of claim 35, it was determined that there is language present therein that renders the claim scope indefinite. The Examiner has suggested herein changes to put claim 35 in allowable form such that the interference can be set up once corrected.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 35 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

On lines 1-2 of claim 35 the language "about normal body temperatures" is considered to be indefinite because the "body" referenced is not defined. For example, it could be a human body, a black body, or the body of a cold-blooded animal; i.e. a variable temperature. For this reason, the claim language is considered to be indefinite. The Examiner suggests inserting "human" before "body" in order to overcome this rejection and pointing out where there is support for any such change to the claim language. It is noted that plural "temperatures" is set forth, but that this is common phraseology in the medical arts. However, it does not give clear antecedent basis to "body temperature" used later in the claim which is singular.

On lines 4 and 5 of claim 35, the use of "body temperature" is considered to be indefinite because there is no type of body referenced; see the preceding paragraph.

Application/Control Number: 09/427,291 Page 3

Art Unit: 3738

The Examiner suggests inserting "human" before each of these occurrences and pointing out where there is support in the original disclosure for any such change to the claim language.

On lines 10 and 11-12, "the predetermined fabricated diameter" lacks antecedent basis. The Examiner suggests setting forth a stent diameter earlier in the claim and changing "the" to ---a--- in order to overcome this objection.

Allowable Subject Matter

Claims 22-34 are allowed over the prior art of record save the outcome of the interference with US 5,827,321 to Roubin et al.

Claim 35 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Conclusion

Applicant should specifically point out the support for any amendments made to the disclosure, including the claims (MPEP 714.02 and 2163.06). Due to the procedure outlined in MPEP 2163.06 for interpreting claims, it is noted that other art may be applicable under 35 USC 102 of 35 USC 103(a) once the aforementioned issue(s) is/are addressed.

Applicant is respectfully requested to provide a list of all copending applications that set forth similar subject matter to the present claims. A copy of such copending claims is respectfully requested in response to this Office action if the application is not stored in image format (i.e. the IFW system) or published.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Paul B. Prebilic whose telephone number is (571) 272-4758. He can normally be reached on 6:30-5:00 M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, McDermott Corrine can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/427,291

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul Prebilic
Primary Examiner

Page 4

Art Unit 3738